Vol. 193 CARBOHYDRATE RESEARCH OCTOBER 31st, 1989

CONTENTS

(Abstracts/contents lists published in: Chem. Abstr.; Curr. Contents, Phys. Chem. Earth Sci., Life Sci.)

The conformation of 6-thio-β-D-fructofuranose in the crystalline state
R. J. WOODS, K. A. WATSON, K. TROUTON, S. FORTIER, AND W. A. SZAREK (Kingston, Ont., Canada) 1

An improved synthesis of the 5-deoxy-5-(hydroxyphosphinyl)-D-glucopyranoses, and crystal structure of 1,2,3,4,6-penta-*O*-acetyl-5-deoxy-5-[(*R*)-methoxyphosphinyl]-β-D-glucopyranose and its 5-[(*R*)-ethylphosphinyl] congener
T. RICHTER, P. LUGER (Berlin, F.R.G.), T. HANAYA, AND H. YAMAMOTO (Okayama, Japan) 9

Highly uneven distribution of *O*-acetyl groups in the acidic D-xylan of *Mimosa scabrella* (bracatinga)
F. REICHER, P. A. J. GORIN, M.-R. SIERAKOWSKI, AND J. B. C. CORRÊA (Curitiba, Brazil) 23

Synthesis of glycopeptides of the mucin type containing a β-D-Glc*p*NAc-(1→3)-D-Gal*p*NAc unit
W. KINZY AND R. R. SCHMIDT, (Konstanz, F.R.G.) 33

Confirmation of the structures of the products obtained on acylation of 2-amino-2-deoxy-D-gluconic acid
D. HORTON, J. K. THOMSON (Columbus, OH, U.S.A.), O. VARELA, A. NIN, AND R. M. DE LEDERKREMER (Buenos Aires, Argentina) 49

A new synthesis of 1,2-*trans*-2-acetamido-2-deoxyglycopyranosides *via* 1,2-*trans*-2-deoxy-2-iodoglycosyl azides
D. LAFONT, P. GUILLOUX, AND G. DESCOTES (Villeurbanne, France) 61

Synthesis of a common polysaccharide antigen of *Pseudomonas aeruginosa* as the 6-aminohexyl glycoside
Y. E. TSVETKOV, L. V. BACKINOWSKY, AND N. K. KOCHETKOV (Moscow, U.S.S.R.) . 75

Synthesis and characterization of 1-*O*-α-lactosyl-(*R,S*)-glycerols and 1-*O*-α-lactosyl-3-*O*-β-lactosyl-(*R,S*)-glycerols
L. J. J. HRONOWSKI, W. A. SZAREK, G. W. HAY, A. KREBS, AND W. T. DEPEW (Kingston, Ont., Canada) 91

Synthesis of *N*-β-D-glucopyranosyl derivatives of barbital, phenobarbital, metharbital, and mephobarbital
W. H. SOINE, P. J. SOINE, T. M. ENGLAND, B. W. OVERTON, AND S. MERAT (Ashland, Virginia, U.S.A.) 105

Isolation, structure determination, synthesis, and anti-fungal activity of a new native alfalfa-root saponin
M. LEVY, U. ZEHAVI, M. NAIM (Rehovot, Israel), AND I. POLACHECK (Jerusalem, Israel) 115

Synthesis of some oligosaccharides containing the *O*-(2-acetamido-2-deoxy-β-D-glucopyranosyl)-(1→2)-*O*-α-D-mannopyranosyl unit. Potential substrates for UDP-GlcNAc: α-D-mannopyranosyl (1→6)-*N*-acetyl-β-D-glucosaminyltransferase (GnT-V)
S. H. KHAN, S. A. ABBAS, AND K. L. MATTA (Buffalo, NY U.S.A.) 125

(Continued overleaf)

(contents continued)

Lactonization of GD1b ganglioside under acidic conditions
R. BASSI, L. RIBONI, S. SONNINO, AND G. TETTAMANTI (Milano, Italy) 141

A re-investigation of the structure of the capsular polysaccharide of *Klebsiella* K10
G. G. S. DUTTON, S. K. NG, L. A. S. PAROLIS, H. PAROLIS (BC Canada), AND A. K. CHAKRABORTY (Agartala, India) 147

Structure of the capsular antigen of *Escherichia coli* 08:K8:H4
L. A. S. PAROLIS, H. PAROLIS (Grahamstown, South Africa), AND G. G. S. DUTTON (BC Canada) 157

Reactivity toward chemical sulfation of hydroxyl groups of heparin
A. OGAMO, A. METORI, H. UCHIYAMA, AND K. NAGASAWA (Tokyo, Japan) 165

Structure of an anti-complementary arabinogalactan from the root of *Angelica acutiloba* Kitagawa
H. KIYOHARA AND H. YAMADA (Tokyo, Japan) 173

Relationship between structure and activity of an anti-complementary arabinogalactan from the roots of *Angelica acutiloba* Kitagawa
H. KIYOHARA, J.-C. CYONG, AND H. YAMADA (Tokyo, Japan) 193

Relationship between structure and activity of the "ramified" region in anti-complementary pectic polysaccharides from *Angelica acutibola* Kitagawa
H. KIYOHARA, J.-C. CYONG, AND H. YAMADA (Tokyo, Japan) 201

A rheological description of amylose gelation
J.-L. DOUBLIER AND L. CHOPLIN (Quebec, Canada) 215

Purification of an antitumor-active, branched (1→3)-β-D-glucan from *Volvariella volvacea,* and elucidation of its fine structure
E. KISHIDA, Y. SONE, AND A. MISAKI (Osaka, Japan) 227

Structures of neutral glycans isolated from the lipopolysaccharides of reference strains for *Serratia marcescens* serogroups O16 and O20
D. OXLEY AND S. G. WILKINSON (Hull, Gt. Britain) 241

A plant fucosyltransferase with human Lewis blood-group specificity
S. C. CRAWLEY, O. HINDSGAUL, R. M. RATCLIFFE, L. R. LAMONTAGNE, AND M. M. PALCIC (Edmonton, Alberta, Canada) 249

Determination of the epitode specificity of monoclonal antibodies against the inner core region of bacterial lipopolysaccharides by use of 3-deoxy-D-*manno*-octulosonate-containing synthetic antigens
A. ROZALSKI, L. BRADE, H.-M. KUHN, H. BRADE (Borstel, F.R.G.), P. KOSMA (Vienna, Austria), B. J. APPELMELK (Amsterdam, The Netherlands), S. KUSUMOTO (Osaka, Japan), AND H. PAULSEN (Hamburg, F.R.G.) 257

Notes

The crystal and molecular structure of methyl(1*R*)-1,2,3,5-tetra-*O*-acetyl-4-*O*-methyl-D-glucuronate methyl acetal
O. KANIE, T. TAKEDA, Y. OGIHARA, AND K. HATANO (Nagoya, Japan) 271

A convenient route to 6-functionalized derivatives of D-glucal
D. MILJKOVIĆ, N. VUKOJEVIĆ, D. MEDAKOVIĆ (Novi Sad, Yugoslavia)), AND G. BETTI (Debrecen, Hungary) 275

(Continued on facing page)

(contents continued)

Selective esterification of 1,5-anhydro-4,6-*O*-benzylidene-D-galactitol
Y. KONDO (Tottori, Japan) 279

Zirconium(IV) chloride-catalyzed synthesis of 1,2-*trans*-1-thioglycopyranosides
M.-O. CONTOUR, J. DEFAYE, M. LITTLE, AND E. WONG (Grenoble, France) 283

Enzymic synthesis of the sialylglycopeptide, α-D-Neu*p*Ac-(2→6)-β-D-Gal*p*-(1→4)-β-D-Glc*p*NAc-(1→4)-L-Asn
C. AUGÉ, C. GAUTHERON, AND H. PORA (Orsay, France) 288

A simple, one-step synthesis of *N*-acetyl-9-*O*-acetylneuraminic acid by enzymic transesterification mediated by porcine pancreas lipase in pyridine
M. FORSTNER, K. FREYTAG, AND E. PASCHKE (Graz, Austria) 294

A convenient synthesis of the branching-point trisaccharide of starch and glycogen
S. KÖPPER AND U. ZEHAVI (Rehovot, Israel) 296

Facile preparation of 6-deoxy-L-*arabino*-hexulose by isomerization of L-rhamnose in boiling pyridine
S. ENNIFAR AND H. S. EL KHADEM (Washington, D.C., U.S.A.) 303

Direct fluorination at positions 3′, 4′, and 6′ of β-D-glucopyranosyltheophylline
F. LECLERCQ AND K. ANTONAKIS (Villejuif, France) 307

Syntheses of partially protected D-galactopyranosylthioureas new D-galactopyranosylimidazoline-2-thiones and D-galactopyranosylaminothiazoles
J. FUENTES MOTA, J. M. GARCIA FERNANDEZ, C. ORTIZ MELLET, M. A. PRADERA ADRIAN (Seville, Spain), AND R. BABIANO CABALLERO (Badajoz, Spain) 314

Structure of the O-antigen polysaccharide from *Escherichia coli* O18ac: a revision using computer-assisted structural analysis with the program VASPER
P.-E. JANSSON, L. KENNE, AND G. WIDMALM (Stockholm, Sweden) 322

Preliminary communication

Total synthesis of sialyl lactotetraosyl ceramide
A. KAMEYAMA, H. ISHIDA, M. KISO, AND A. HASEGAWA (Gifu, Japan) c1

Author index c7

Subject index c9